






Jeliha Pool Solutions Pty Ltd
3 Palmerston Road E, Ringwood, VIC 3134

Daniel Maher: 0429 589 717

Email: jelihapoolsolutions@outlook.com
www.jelihapoolsolutions.com.au

Contents

Filtration & Pumps	Page 6
Pool Heating	Page 18
Sanitisation	Page 26
Pool Lighting	Page 32
Pool Cleaners	Page 34
Automation	Page 40
Stay Connected	Page 43



Welcome to Jeliha Pool Solutions – Your Trusted Partner in Pool Sanitisation, Filtration & Automation Equipment

Thank you for choosing Jeliha Pool Solutions as your preferred supplier of high-quality pool equipment.

With over 15 years of industry experience, we are proud to provide not only premium products but also tailored expertise and a genuine commitment to supporting the needs of professionals in the Australian pool industry.

At Jeliha, we specialise in delivering a complete solution for all aspects of pool chemistry and automation. Our extensive product range includes advanced systems for:

Sanitisation – ensuring clean, safe, and healthy pool water

Filtration and Hydraulics – for efficient water circulation and clarity

Heating – to maximise comfort and extend your swimming season

Pool Cleaners – both manual and automated options for every pool type

Lighting – enhancing pool aesthetics and safety

Automation Systems – allowing seamless control and system integration

We understand the importance of quality, reliability, and innovation in every pool project. That's why we partner with manufacturers who uphold the highest standards and offer cutting-edge technology. Jeliha is proud to prioritise Australian-owned and Australian-manufactured systems, supporting local industry and ensuring that our clients receive durable, proven, and compliant products.

We are selective in the products we carry, favouring ranges that are not available to the general public via online marketplaces. This approach helps safeguard our trade clients by protecting professional pricing structures and ensuring exclusive access to high-performance equipment.

Our customer base includes a broad network of pool builders, technicians, service professionals, and retail pool stores throughout Victoria. They choose Jeliha because of our dependable stock availability, efficient site delivery, and fast, responsive back-up service that keeps their operations running smoothly.

Whether you're building, servicing, or upgrading pools, Jeliha Pool Solutions is here to support your success. Our experienced and knowledgeable team is dedicated to providing friendly, professional service at every stage — from initial consultation and product selection to technical advice and after-sales support.

Partner with Jeliha Pool Solutions and experience the difference of working with a supplier who understands your business, values your time, and shares your commitment to quality.

Regards,

Daniel Maher
Managing Director

Filtration / Pumps

Filtration plays a vital role in maintaining clear, clean pool water by effectively removing debris and impurities.

Equally important are pool pumps, which drive the entire circulation process. We supply a range of energy-efficient, high-performance pumps designed to work seamlessly with our filtration setups, helping to reduce energy use while ensuring consistent water flow and system longevity with minimal maintenance and very few warranty concerns.



Premium PF Series Fibreglass Media Filter

Filtration is the key to any crystal clear swimming pool. PF Series, fibreglass media filters require little ongoing maintenance as compared to other types of filters, allowing you more time to enjoy your pool.

PF Series filters are manufactured from high grade fibreglass and polymer resins utilising the latest engineering techniques, which gives them superior strength for demanding applications and long life in our harsh Australian conditions.

PF media filter internal components have been designed to achieve a balanced and evenly distributed water flow throughout the media bed, resulting in high filtration efficiency at high flow rates. The balanced design also ensures effective backwashing with minimal water wastage.

- Available in 4 common sizes 25", 28" (40mm and 50mm), 32" and 36"
- PF25 & PF28 both have an inner tank made from a strong P.E. thermoplastic material with UV resistant fibreglass on the outside for extra strength. All other sizes are made with a full UV resistant, corrosion proof fiberglass tank
- Designed for high pressure, low to high flow rate applications
- Ideally suited to be used in conjunction with Reltech "PR" Premium and Ecoflo "V3" energy efficient variable 3 Speed Pumps
- Suitable for use with all types of media including Ecoflo Glass, sand and zeolite

Large "Palm-Action" handle for easy positioning of Multi-Port Valve

Supplied with quality stainless steel, oil filled pressure gauge

Comes with a clear tube for backwash checking

Quality barrel unions fitted for easy plumbing & servicing



Jeliha only uses Ecoflo Glass media

MODEL	TANK DIAMETER	TANK HEIGHT	MPV PIPE SIZE	FLOW RATE RPM	FILTER AREA (M ²)	RELTECH MATCHING PUMP MODEL	ECOFLO GLASS MEDIA REQUIRED	SAND REQUIRED
PF25	635mm	950mm	40mm	260	0.32	PR100 / V3	135kg	150kg
PF28-40	710mm	1020mm	40mm	325	0.40	PR125-PR150 / V3	150kg	200kg
PF28-50	723mm	1092mm	50mm	336	0.41	PR150 / V3	150kg	200kg
PF32	800mm	1200mm	50mm	415	0.50	PR150-PR200 / V3	210kg	250kg
PF36	900mm	1300mm	50mm	520	0.64	PR200	255kg	300kg



Resistant to chemicals
& corrosion



Suitable for all types of
pool environments



Requires less on-going
maintenance compared to
other filters

10 YEAR TANK WARRANTY

10 year limited tank warranty.
12 month warranty on Multi-Port Valve
and internal filter components

Claro CR Series Cartridge Filter

CLARO CR Series cartridge filters are made from high impact, non corrosive, UV stable materials capable of withstanding high pressures and the unrelenting harsh Australian climate. They are light weight, compact in size and excellent for applications where saving water is a priority and backwashing may not be practical.

The heart of the CLARO CR filter is the pleated filter element, manufactured from a durable high grade polyester with extra fine fibre blending for efficient filtration. This results in crystal clear water with minimal filtration run time, thus saving valuable resources.

The CLARO CR cartridge filter incorporates a heavy duty lock ring, which makes removal of the cartridge element for cleaning extremely quick and easy.

In addition, all CLARO CR cartridge filters come complete with a high quality stainless steel oil filled pressure gauge, automatic internal air bleed tube, multiple inlet/outlet ports and barrel unions (for easy installation and quick disconnection) and a screw type manual air bleed valve.

- Available in 4 common sizes from 75 to 200sqft
- No backwashing required, therefore no salt & pool chemicals in our waterways
- Engineering grade ABS - UV resistant plastic housing and components
- Super fine filtration for crystal clear water
- Easy to remove lock ring for quick cartridge access

Oil Filled Stainless Steel Gauge & Air Screw Type Bleed Valve

Filter media made from a durable high grade polyester with extra fine fibre blending.

Multiple inlet/outlet ports for easy installation



RELTECH CLARO CARTRIDGE FILTER MODEL	RELTECH MATCHING PUMP MODEL	A (MM)	B (MM)	C (MM)	FILTER AREA (M ² /FT ²)	PIPE SIZE (MM)	MAX FLOW RATE (L/MIN)
CR75	PR75	805	341	225	7.00/75	40	283
CR100	PR100-PR150	985	453	225	9.38/100	50	382
CR150	PR150-PR200	1165	568	225	13.71/150	50	555
CR200	PR200	1345	568	225	16.81/200	50	680



Compact & light weight
ideal for tight spaces



Resistant to chemicals
& corrosion



Suitable for all types of pools &
spas fresh & salt water

5 YEAR
WARRANTY

5 year limited tank warranty
12 months warranty on
other components.

STA-RITE™

Posi-Clear RP Cartridge Filter

The Posi-Clear RP filter gives you everything you could ask for in a filter. This new design is nearly 50% more efficient than any other single cartridge filter on the market. At the same time, it delivers top-of-the-line cartridge performance to keep your pool sparkling clear. And cleaning is a breeze—its quick-connect ring makes maintenance a cinch—just open the top, remove the cartridge, hose it off and the Posi-Clear RP filter is ready to go again.

The Posi-Clear RP filter has a side entry port to optimize flow and energy efficiency. And inside, we've maximized the cartridge surface consistency to block and trap particles as small as 20 microns. (An average grain of beach sand is 1,000 microns!)

The Posi-Clear RP filter's side entry design optimizes flow for greater energy efficiency. It features an easily-cleaned cartridge for the ultimate in carefree pool filtration. The fiberglass-reinforced tank halves are secured with an innovative clamp ring – just loosen the ring and remove the top half for easy cartridge access and rinsing. Filter maintenance doesn't get any easier.


- Quick-connect union with diamond seal assures easy installation and servicing.
- Single-piece base and tank are constructed of fiberglass reinforced polypropylene for strength and chemical resistance
- High Flow™ manual air relief valve and continuous internal air relief work together to maintain optimum filtration efficiency at all times.
- Innovative lock-ring requires only an easy half of a revolution for a safer, leak-proof seal.
- 1½" drain cap and washout for quick and convenient maintenance and winterization.

Low-force clamp ring opens and closes easily for safer and quick access to cartridge

2" x 2½" plumbing for maximum flow; side entry maximises energy efficiency

Single-piece fiberglass reinforced polypropylene tank for strength and corrosion resistance

Easy access 1½" drain



MODEL	FILTER AREA Sq Mt	VERTICAL CLEARANCE*	FILTER DIAMETER	FLOW RATE GPM		TURNOVER CAPACITY-RES. (LITRES)		
				RES**	COMM.	8 HRS	10 HRS	12 HRS
PXCRP100	9.29	1550mm	394mm	100	38	181,669	227,124	272,549
PXCRP150	13.93	1905mm	394mm	150	56	272,549	340,687	408,824
PXCRP200	18.58	1905mm	394mm	150	75	272,549	340,687	408,824

* Required clearance to remove filter elements. ** Maximum flow rate.



Nearly 50% more energy efficient than other single cartridge filters



Cartridge is easy to remove and rinse



Single piece base and body designed for max. durability

1 YEAR
WARRANTY

1 year limited warranty. Visit the Pentair website for details.

Clean & Clear® Plus Cartridge Filter

Clean & Clear® Plus cartridge filter combines top-end filter performance with low maintenance. This dependable design uses special filter elements to strip tiny particles from your pool water...particles as small as 30 microns. (An average grain of beach sand is 1000 microns!) Our four-cartridge design provides maximum filter surface area to capture more dirt and extend time between cleaning. And cleaning is a snap. Open the top, remove the cartridges, hose them off, and Clean & Clear Plus is ready to go again.

We've maximized cartridge surface consistency to block and trap the maximum amount of solids, plus we use the most durable materials to extend cartridge life. Clean & Clear® Plus delivers commercial-grade performance that keeps pools clean and sparkling, day in and day out.

The fiberglass reinforced tank halves are secured with an innovative clamp ring – just loosen the ring and remove the top half for easy cartridge access and rinsing. Filter maintenance doesn't get any easier.

Clean & Clear® Plus is an Eco Select™ Choice. The Eco Select brand identifies our "greenest" and most efficient equipment choices. Water flows very efficiently through the filters, often allowing the use of smaller pumps or lower pump speeds to minimize energy use.

- Four-cartridge design traps more dirt and extends time between cleanings
- Clamp ring allows easy access to cartridges and internal parts to speed service routines
- 40mm drain is easy to access and located to ensure complete draining during winterisation
- Continuous internal air bleed prevents air build-up, to keep the filter operating at peak performance



MODEL	FILTER AREA Sq Mt	VERTICAL* CLEARANCE	FILTER DIAMETER	FLOW RATE LPM		TURNOVER CAPACITY-RES. (LITRES)		
				RES**	COM.	8 HRS	10 HRS	12 HRS
CCP240	22.3	1422mm	546mm	341	341	163,529	204,412	245,294
CCP320 ¹	29.7	1574mm	546mm	453	453	218,039	272,549	327,059
CCP420 ¹	39.0	1727mm	546mm	568	568	272,549	340,687	408,824
CCP520 ¹	48.3	1879mm	546mm	568	568	272,549	340,687	408,824

1 NSF Listed * Required clearance to remove filter elements. ** Maximum flow rate.



High performance & low maintenance



An efficient choice which minimises energy use



Blocks and traps maximum amount of solids



5 year limited warranty. Visit the Pentair website for details.

IntelliFlo VSF Variable Speed and Flow Pool Pump

The IntelliFlo® 2 VSF is the first variable speed and flow pump that adjusts to changes in flow system conditions to maintain its programmed flow rate. The IntelliFlo® 2 VSF, with the highest available performance and efficiency, is perfectly suited for large and feature rich pools with high flow demand.

Responds to changing conditions

- The IntelliFlo® 2 VSF Pump is the first to adjust to changes in flow conditions to maintain its preprogrammed flow rate to run optimally throughout the entire filtration cycle. It's like having cruise control for your pump.

Equipment performs precisely as designed

- Filters get the right amount of flow to maintain water clarity
- Laminars and water features perform more consistently.
- Equipment efficiency and service life increase.


Up to 90%¹ energy savings

- Since the IntelliFlo 2 VSF pump is ultra energy efficient, you can experience increased energy savings, up to 90%, when compared to conventional single- or two-speed pumps.

Savings based on variable speed pump compared to a single-speed pump running 12 hours per day at an average of \$0.25 per kWh in a 75,000 litre pool. Actual savings may vary based on local utility rates, pool size, pump run time, pump horsepower, pump rpm, plumbing size and length, pump model, service factor and other hydraulic factors.



Performance Curves



Menus are easier than ever to use

Top-mounted field wiring compartment is easier to access and connect

Rotatable keypad with optional wall mount kit (sold separately)

Eight programmable speed or flow settings and built-in timer

Totally enclosed fan-cooled design for quiet operation and long life



The quietest pump on the planet



Smart technology for remarkable energy efficiency



Up to 90% in Energy Savings

5 YEAR
WARRANTY

5 year limited warranty. Visit the Pentair website for details.

EnviroMAX Variable Speed Pool Pumps

The Sta-rite EnviroMAX pumps are ideal for new or existing pools. Utilising advanced hydraulic design and the latest technology in permanent magnet, variable speed motors, the Sta-rite EnviroMAX pumps have the perfect combination of efficiency and performance. EnviroMAX pumps deliver energy savings and the power when you need it. You will also have the peace of mind that you are doing your bit for the environment and reducing your carbon foot print.

- Variable speed pumps, with up to 4 programmable speeds, allows you to effortlessly select the most efficient setting to meet
- Brushless, permanent magnet motors deliver high efficiency, low
- Fault protected motors prevent damage by automatically shutting down the motor in the event of a locked rotor, under-voltage, over-voltage or over-current condition and will automatically reduce the speed during an over temperature condition.
- Precision-fit internal components and superior hydraulic design deliver effortless performance, energy savings and extended pump life.
- Constructed of our durable, thermoplastic, composite resin, so you can be sure it will stand up to the harshest conditions.
- The Cam and Ramp™ lid is easy to remove and locks in place with a quarter turn, making inspection and cleaning a breeze.
- The high-capacity trap holds a large amount of debris, so you clean less often. Quick-disconnect plumbing unions.




Available in variable speeds
EnviroMAX 800
and EnviroMAX 1500



Top view of pump

EnviroMAX 800 Performance Chart




High performance &
low maintenance



An efficient choice which
minimises energy use

EnviroMAX 1500 Performance Chart



Blocks and traps maximum
amount of solids




3 year limited warranty.
Visit the Pentair website for details.

Max-e Pro Pool Pump


High efficiency, low maintenance and maximum performance. All the features demanded by today's pool professionals.

The Max-E-Pro has our new Quick-Lock™ trap cover ring and the 2" (50mm) ports incorporate internal and external threads. Available in single and three phase, with ratings from 1 to 3 HP (750-2200W). Built with quality construction using a durable one-piece pump housing constructed of Dura-Glas™ Sta-Rite's industry leading glass-reinforced composite resin. Fast cleaning with a new Quick-Lock trap covering permits fast access to strainer basket. Large see-thru lid makes it simple to check for debris. A strong, sturdy, specially-designed base dampens sound and vibration, making the Max-E-Pro one of the quietest pumps in its class.

- MAXePRO™ has been engineered to answer the needs of today's savvy buyer: high efficiency, low maintenance and reliability. The MAXePRO™ nails it on all counts.
- When cleaning is required, an easy twist of the wrist gives you access to the ultra-sized strainer basket. Simply empty the basket, re-attach the Quick-Lock™ trap lid and twist it one click to the right.
- Reliability and quality are integral benefits of this continuously rated motor. Low noise levels result in peaceful pump operation.
- And a specially designed sound-dampening base make the MAXePRO™ extremely quiet. So your piece of paradise remains peaceful.
- Only the finest materials are used to build lasting quality into every MAXePRO™. On the outside, Pentair's exclusive Dura-Glas™ composite resin weathers temperature extremes. On the inside, the shaft and seal are constructed with Stainless steel and the impeller is made with Noryl® to stand tough against harsh chemicals.
- Quick and easy to install, creating a perfect seal while allowing pump removal without flexing pipework.
- Self-lubricating Lid O-ring – Does not require lubricant



Max-e Pro Performance Chart



High performance &
easy to install



High efficiency,
low maintenance



Withstands the toughest
water environments



3 year limited warranty.
Visit the Pentair website for details.

Whisperflo High Performance Pool Pump

We call it the WhisperFlo® pump for good reason.

This innovative hydraulic design moves water more efficiently and more quietly than competitive pumps. Under typical operating conditions, WhisperFlo offers the highest water flow of any high performance pump—yet with the lowest electrical consumption. And, WhisperFlo is designed to be a tireless workhorse. Its engineered thermoplastic housing withstands extreme heat and resists corrosion.

The commercial grade motor frame has a rustproof, stainless steel motor shaft and sealed bearings that never need lubrication. Engineered to provide optimum performance in any size pool or pool and spa combination, WhisperFlo is built to last a lifetime, an as a result, has become the industry's top seller for years.

The WhisperFlo® pump delivers maximum circulation efficiency at the lowest operating cost and long, troublefree life with minimal maintenance. Our legendary hydraulic design has been refined over 40 years for superior performance. No wonder more than 2 million Pentair pumps have been selected by pool professionals.

- WhisperFlo costs less to operate, because it uses less horsepower to produce required water flow
- Specially-engineered design assures whisper-quiet operation as documented in rigorous ETL tests
- Oversized strainer basket extends time between cleanings
- See-through lid makes inspection fast and easy—engineered polymer remains clear and strong for years
- User-friendly Cam and Ramp™ lid is easy to remove and quickly locks in place with a quarter-turn
- Unique FunnelFlo™ diffuser and high-efficiency impeller maximise water flow and energy efficiency while minimizing turbulence and noise
- Energy-efficient motor with commercial-grade frame, rustproof stainless steel shaft, and permanently lubricated, sealed bearings for long life
- Ideal for pool and spa combinations and for operating in-floor cleaning systems


Cam and Ramp™ lid makes inspection and cleaning simple and quick



Oversized strainer basket extends time between cleanings

Heavy-duty threading for dependable worry-free connections

Whisperflow Pump Family Performance Chart



Easy to remove inspection lid
for routine maintenance



Requires minimal
maintenance



whisper-quiet
operation

3 YEAR
WARRANTY

3 year limited warranty.
Visit the Pentair website for details.

Ecoflo Platinum Pump Series

Reltech's Platinum Series Pumps are built to withstand all rigorous pool environments. It boasts the largest "Australian Made" pump housing and leaf basket available on the market.

This allows pool owners the time to enjoy their pool and spas with less routine maintenance. Designed, manufactured and assembled in Australia with engineering grade thermoplastic polymers. This ensures many years of operation in the harsh Australian climate.

Unlike conventional single speed pumps that work at maximum capacity, the Ecoflo Platinum Series Pump utilises a permanent magnet brushless fully variable 3 speed DC motor. This revolutionary pump allows the owner to increase and decrease each of the 3 speeds to individually suit their pool and spa, thus, dramatically reducing electrical running costs.

Pool filtration takes up 99% of a pumps usage during the year. However, pool filtration does not require a pump to be running at full capacity. In fact, your pools filtration efficiency improves at lower flow rates. More foreign particles and waste can get trapped in the filter when water flow is slowed and prolonged.

The Ecoflo Platinum Series Pump operates at extremely low noise levels that allows you to run your pump at night to take advantage of off-peak tariffs without disturbing your neighbours.




PLT Pumps come in Single Speed and also Variable speeds
PLT-V3 1.25hp, PLT-V5 1.75hp and PLT-V8 2.25hp.


PLT-V3
1.25 HP
Pool Filtration

PLT-V5
1.75 HP
Pool Filtration
Spa Jets
Water Features

PLT-V8
2.25 HP
Pool Filtration
Spa Jets Boost
Water Features
In-floor Cleaning



Ultra-quiet noise levels Ecoflo pumps vs standard pumps



So quiet allowing you to run the pump at night



An efficient choice which minimises energy use



Proudly manufactured in Australia



3 year limited warranty.
Visit the Reltech website for details.

Premium PR Pump Series

Reltech's engineers have worked closely together to develop a pump that better handles the tough Australian climate. This has led to improved reliability, efficiency and the overall performance of our pump.



The design characteristics of the diffuser and balanced impeller system ensures low noise operation whilst offering excellent priming. It also offers powerful water flow and filtration with maximum pressure at economical running costs.

- Strongly constructed thick walled, one piece pump body made from a high quality engineering grade thermoplastic material that is corrosion resistant. A glass reinforcement and UV additives also ensures the pump is designed to last in all weather conditions.
- Powerful and reliable motor rated for continuous operation ensures a long bearing life.
- Built in thermal overload protects the motor against damage from overheating.
- A stainless steel pump shaft, a lapped true carbon face, ceramic seal and stainless steel assembly nuts and bolts are just some of the quality components used to ensure ongoing reliability and extended lifecycle.
- Elevated motor stand assembled to main body prevents any warping under high water pressure, ensures balanced support for motor and pump, reduces noise and vibration and keeps moisture away from the motor.
- Extra large robust strainer basket prevents breakage during operation and debris removal and requires less frequent cleaning.
- Positively located strainer basket to eliminate the inlet being blocked
- No stress on the sealing o-rings because clamping pressure is used rather than twisting pressure, therefore extending the life of spare parts on your pump.
- Self aligning inlet and outlet barrel unions for both suction and discharge ports allowing for quick and easy installation and removal.
- Barrel unions are suitable for both 40mm and 50mm PVC pipe connections.



PR Pumps come in Single Speed and also Variable speeds
V3PRO 1.25hp, V5PRO 1.75hp and V8Pro 2.25hp.

PR Series Performance Curves



Easy to remove inspection lid
for routine maintenance



A perfect choice to handle
Australia's tough climate



Proudly manufactured
in Australia

3 YEAR
WARRANTY

3 year limited warranty.
Visit the Reltech website for details.

Spa King Blowers

Spa King blowers are designed to do away with the problems that have traditionally plagued conventional Spa Blowers Motors, such as overheating, burn-out, corrosion and short operational life.

Spa King Blowers have separated airflows so that motor cooling operates independently of the aerifying airflow delivered to the Spa water. This completely eliminates expensive overheating problems caused by start-up air supply line resistance, or tub airhole sizes or distance to equipment.

Design operating temperature is maintained in the motor at all times, clean fresh air is delivered to the tub. Corrosion due to chlorine – laden vapour reaching the motor is eliminated, and specially developed plastic mouldings, foam divisions and injection moulded cover protects the unit and reduce noise.

Spa King is also used on commercial installations and found to have capacity well in excess of the blowers normal domestic requirements.

Available Models:

Peacemaker Blower

The Peacemaker is a loop charge injected spa blower. Using the latest in design, materials and technology to produce the highest quality product in the spa industry worldwide. The Peacemaker is quieter, more powerful, has greater reliability, is energy efficient and provides clean air delivery.

VOLTS 240 Volts 50/60 Hz | WATTS 1100 Watts - 7AMP

XTA Blower

The XTA is the world's first quad port air delivery system. This unique product is quieter under full load, provides constant power, offers reliable service under all normal resistance installations and is value for money

VOLTS 240 Volts 50/60 Hz | WATTS 995 Watts - 7AMP

Burial Blower

The Blower can be buried in any soft garden areas, alcoves in pool equipment rooms and even mounted next to the spa if required. The noise level is an astonishing 52db at 1 metre – very quiet!

VOLTS 240 Volts 50/60 Hz | WATTS 1100 Watts - 7AMP

Spa King



Separated airflows completely eliminates expensive overheating problems



Extremely Quiet



Energy efficient & value for money



Proudly manufactured in Australia

Pool Heating

At Jeliha, we understand that rising energy costs are a growing concern for pool owners and industry professionals.

That's why we focus on supplying the most energy-efficient pool heating solutions available. Our range is carefully selected to deliver optimal performance while keeping long-term running costs down.

With energy-smart technology, swimming seasons can be extended without the burden of excessive energy bills — making pool heating both sustainable and cost-effective.





Evo Force-Ai Heat Pump

The Evo Force-Ai is the next generation of pool heat pump technology, combining full inverter efficiency with exclusive artificial intelligence (AI) to deliver exceptional performance, comfort and running cost savings.

Unlike conventional heaters that simply switch on and off, the Evo Force-Ai thinks ahead, using real-time temperature data and advanced weather analysis to predict demand and automatically optimise power consumption.

Its smart AI-driven operation increases heat output when colder conditions are approaching and scales back power when ambient conditions assist heating, maintaining the ideal pool temperature without unnecessary energy use. This delivers up to 30%+ greater energy savings compared to standard inverter heat pumps, while maintaining precise, consistent comfort.



Low Operating Costs

Evo Force-Ai Pro series delivers pool heating with exceptional performance, low operating costs with a C.O.P. as high as 22.



AI That Thinks Ahead

Intelligent AI anticipates changing conditions and automatically optimises heating performance for consistent comfort and greater energy savings.

- ✓ Available in 7 models, 13kW to 32kW
- ✓ Latest full stepless inverter technology
- ✓ Heating and cooling capability
- ✓ Built-in timers
- ✓ Ultra quiet operation
- ✓ Robust cabinet construction
- ✓ Eco-friendly and safe R32 refrigerant
- ✓ Automatic defrost system
- ✓ Horizontal front discharge air flow
- ✓ Simple installation
- ✓ AI-driven intelligent operation
- ✓ Up to 30%+ greater energy savings
- ✓ Advanced Solar Smart Mode
- ✓ 4G Cloud Connect with integrated SIM

MODEL	Force - Ai 13	Force - Ai 16	Force - Ai 19	Force - Ai 22	Force - Ai 28	Force - Ai 32	Force - Ai 32-3
Power supply	220-240V~/1Ph 50HZ						380-415/3/50
*Max current (amps) per phase	11.2	12.50	14.10	16.60	24.00	27.40	10.26
Connection type	15 amps	15 amps	Hardwired	Hardwired	Hardwired	Hardwired	Hardwired
Fan quantity	1	1	1	1	1	1	1
Fan Speed (RPM)	650	600	630	650	750	750	750
Noise dB(A) at 1M	36-42	39-43	40-43.5	41-46	42-51	43-52	45-52
Noise dB(A) at 1M in silence mode	34	35	36	37	38	39	40
Noise dB(A) at 3M	28-34.3	31-35.5	32-35.8	33-38.3	34-43	35-44	37.3-44.3
Refrigerant gas	R32						
PVC Water Connection (mm)	40						
Water flow volume (L/min)	58	71	93	115	145	173	173
Water pressure drop (max) kPa	3	4	5	8	8	10	10
Net dimensions L/W/H (mm)	1060/475/768	1060/475/768	1144/489/865	1144/489/865	1144/489/865	1144/489/865	1144/489/865
Net weight (kg)	105	105	105	118	130	132	132

The data above is based on the Evo heat pump only, it does not include auxiliary devices. Product specification information provided above is correct at the date of printing, this data may change without notice. Please speak with an EvoHeat Specialist for the most current product specifications.



Energy efficient
& environmentally friendly



Control your pool temperature
with your smart phone



Automatically heat or cool
based on desired temperature



25 years titanium heat exchanger
5 years compressor
2 years parts | 1 year labour

Evo Fusion-i Pro Heat Pump

The Evo Fusion-i Pro is the perfect solution for recreational pool and spa owners who want to enjoy their swim season for longer with minimal running costs.

Equipped with the latest technology, including stepless full DC inverter compressors, fans, and control systems, the Evo Fusion-i Pro offers an energy-efficient and environmentally friendly way to heat your pool or spa.

Upgraded with advanced features such as Solar Smart mode, an intuitive touch screen controller, Wi-Fi connectivity, and intelligent built-in timers, the Evo Fusion-i Pro offers a smarter, more efficient alternative to gas, solar thermal, or electric element heating systems, allowing you to extend your swim season effortlessly.



All Models

Solar Smart Mode

With our advanced Solar Smart mode, you can program multiple daily timers and performance parameters, allowing you to harness free energy from the sun and lower your heating costs.



All Models

Wi-Fi Control

Control your Evo Fusion-i Pro pool heat pump anytime, anywhere with the smart Wi-Fi controller app. Available for iOS and Android, the smart phone app offers you an easy and convenient way to monitor and control your pool temperature and usage.

- ✓ Available in 8 models, 7kW to 35kW
- ✓ Latest full stepless inverter technology
- ✓ Heating and cooling and auto modes
- ✓ Built-in timers
- ✓ Ultra quiet operation
- ✓ Robust ABS cabinet
- ✓ Eco-friendly and safe R32 refrigerant
- ✓ Automatic defrost system
- ✓ Horizontal front discharge air flow
- ✓ Simple installation
- ✓ Sleek design
- ✓ Small footprint, ideal for tight installations
- ✓ Guaranteed stable performance from -7°C air
- ✓ Ideal to work with solar PV panels
- ✓ Intuitive controller

MODEL	Fusion-i Pro7	Fusion-i Pro9	Fusion-i Pro13	Fusion-i Pro16	Fusion-i Pro19	Fusion-i Pro24	Fusion-i Pro28	Fusion-i Pro35
Power supply	220-240/1/50	220-240/1/50	220-240/1/50	220-240/1/50	220-240/1/50	220-240/1/50	380-415/3/50	380-415/3/50
*Max current (amps) per phase	6.8	9.9	10.51	14.92	15.72	22.5	10.22	11.7
Connection type	10amp plug	10amp plug	15amp plug	Hardwired	Hardwired	Hardwired	Hardwired	Hardwired
Fan quantity	1	1	1	1	1	1	1	1
Fan Speed (RPM)	500-700	500-700	500-850	500-750	500-750	400-800	400-800	400-800
Noise dB(A) at 1M	38-51	40-52	42-54	44-55	44-46	44-56	45-57	45-57
Noise dB(A) at 1M in silence mode	39	40	43	44	45	46	47	47
Noise dB(A) at 10M	18-31	20-32	22-34	24-35	24-36	24-46	25-47	25-47
Refrigerant gas	R32							
PVC Water Connection (mm)	40							
Water flow volume (L/min)	46.67	46.67	66.67	85	85	166.67	200	230
Water pressure drop (max) kPa	1.8	2.8	3	6	6	14	17	20
Net dimensions L/W/H (mm)	934/360/582	934/360/582	934/360/582	1048/453/770.5	1048/453/770.5	1159.5/490/844	1159.5/490/844	1159.5/490/844
Net weight (kg)	41	42	44	60	69	90	93	93

The data above is based on the Evo heat pump only, it does not include auxiliary devices. Product specification information provided above is correct at the date of printing, this data may change without notice. Please speak with an EvoHeat Specialist for the most current product specifications.



Bluetec hydrophilic coating
on condenser fins



High performance
with low operating costs



Control pool temperature
with your smart phone
Optional Upgrade



Automatically heat or cool
based on desired temperature




25 years titanium heat exchanger
5 years compressor
2 years parts | 1 year labour

Evo Dynamic-i Pro Heat Pump

Designed for peak performance in colder climates, the Evo Dynamic-i Pro series brings commercial-grade heating power to your backyard. This high-performance inverter heat pump provides a reliable, energy-efficient solution for pool or spa heating, keeping your water at the perfect temperature all year round.

Upgraded with premium features like stepless full DC inverter technology, solar smart mode, Wi-Fi control, an intuitive full-colour touch screen controller, and a sleek stainless steel cabinet, the Dynamic-i Pro combines energy efficiency, durability, and style in one powerful system.

Whether you're extending your swim season or maintaining perfect water conditions, the Evo Dynamic-i Pro series delivers cutting-edge technology with superior performance and value - bringing the power of commercial-grade heating to your backyard.



Cold Climate Performance

The reliable and powerful Evo Dynamic-i Pro delivers exceptional cold-climate performance. Its dual defrost technology allows the heat pump to operate in climates as low as -15°C.



Space Saving Design

The top air discharge design adds installation flexibility, making it ideal for compact or confined installation spaces.

- ✓ Available in 3 models
- ✓ Low ambient air performance
- ✓ Heating and cooling capability
- ✓ Built-in operational timer
- ✓ Electronic expansion valve (EEV2)
- ✓ Flow switch and high pressure cut out for additional safety and protection
- ✓ Latest full colour touch screen controller
- ✓ Wi-Fi control
- ✓ 304 stainless steel cabinet
- ✓ Dual defrost systems - reverse cycle and thermotec element
- ✓ Eco-friendly and safe R32 refrigerant
- ✓ Easy installation
- ✓ Sleek design
- ✓ Vertical Airflow
- ✓ Advanced Solar Smart Mode

MODEL	Dynamic-i Pro 50	Dynamic-i Pro 60	Dynamic-i Pro 703
Power supply	220-240/1/50	220-240/1/50	380-415/3/50
*Max current (amps) per phase	21.5	22.8	10.8
Connection type	Hardwired	Hardwired	Hardwired
Fan quantity	1	1	1
Fan Speed (RPM)	700-800	700-800	700-800
Noise dB(A) at 1M	47-56	45-56	46-58
Noise dB(A) at 1M in silence mode	47	45	46
Noise dB(A) at 10M	27-36	35-36	26-38
Refrigerant gas	R32		
PVC Water Connection (mm)	40		
Water flow volume (L/min)	167	203	223
Water pressure drop (max) kPa	18	20	23
Net dimensions L/W/H (mm)	740/725/1101	820/785/1265	820/785/1265
Net weight (kg)	127	127	130

The data above is based on the Evo heat pump only, it does not include auxiliary devices. Product specification information provided above is correct at the date of printing, this data may change without notice. Please speak with an EvoHeat Specialist for the most current product specifications.



Stainless steel cabinet for the ultimate corrosion protection



Control pool temperature with your smart phone



Quiet Operation + Dual Speed Fans



25 years titanium heat exchanger
5 years compressor
2 years parts | 1 year labour

UltraTemp HXi Heat Pump

The Pentair UltraTemp® HXi heat pump automatically heats or cools your pool according to the desired temperature. It adapts to outdoor conditions to ensure optimum bathing comfort while minimising energy consumption.

Equipped with full-inverter technology, the new Pentair UltraTemp® HXi heat pump delivers powerful, yet quiet, performance, thanks to the combination of a variable speed compressor and fan motor. They adjust their speed automatically following the operating mode selected by the user via the colour touchscreen or optional app.

- Full inverter heat pump with variable speed compressor and fan motor.
- Wi-fi module included, compatible with app freely available on app store.
- Silent running mode, for neighbourhood peace and quiet.
- Energy efficiency among the highest in its class with COP ratings far in excess of standard heat pumps.
- Titanium threaded heat exchanger.
- Intuitive colour LCD touch screen.
- Heats, cools and offers auto defrost.
- 15 years warranty.



Every unit comes with a Wi-Fi module. Uses 'Handy-Heat' app which allows you to control the unit anywhere in the world. Module cable can be extended to improve signal range.

		HXi 9kW	HXi 12kW	HXi 16kW	HXi 20kW	HXi 24kW	HXi 28kW	HXi 35kW
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	2.3~9.0	2.5~12.0	3.1~16.0	3.70~20.0	6.5~24.3	7.1~28.2	8.15~35.1
	Power (kW)	0.16~1.41	0.18~1.90	0.22~2.54	0.27~3.08	0.45~3.74	0.49~4.41	0.57~5.18
	COP	14.2~6.4	14.1~6.3	13.9~6.3	13.8~6.2	14.5~6.5	14.3~6.4	14.3~6.8
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	1.7~7.0	2.1~9.0	2.4~12.6	2.6~14.5	4.5~19.0	5.1~21.0	7.8~24.4
	Power (kW)	0.24~1.46	0.29~1.91	0.34~2.73	0.38~3.15	0.62~3.88	0.71~4.38	1.07~5.55
	COP	7.2~4.8	7.1~4.7	7.0~4.6	6.9~4.6	7.3~4.9	7.2~4.8	7.3~4.4
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	3.15	3.75	5.61	7.85	8.93	11.78	14.63
	Power (kW)	1.4	1.58	2.2	3.18	3.43	4.44	5.41
	EER	2.25	2.37	2.55	2.47	2.61	2.65	5.41
	Product Number	UTHP-9-HXi	UTHP-12-HXi	UTHP-16-HXi	HXi 20kW	UTHP-24-HXi	UTHP-28-HXi	UTHP-35-HXi
	Power Supply (v/Hz)	230-240VAC 50Hz	230-240VAC 50Hz	230-240VAC 50Hz	230-240V, 50Hz	230-240VAC 50Hz	400-415V 3~ 50Hz	400-415V 3~ 50Hz
	Phase	Single	Single	Single	Single	Single	3P	3P
	Max Current (A)	9.0A	10.9A	16.6A	17.5A	22.7A	10.8A	11.7
	Max Power (kW)	2.10	2.49	3.80	3.80	22.7A	6.30	7.23
	Compressor Type	Mitsubishi	Mitsubishi	Mitsubishi	Mitsubishi	Panasonic	Panasonic	Panasonic
	Water Flow (LPM)	53	66	86	100	22.7A	158	230
	Sound Pressure (1m dBa)	39-50	41-52	42-53	43-54	44~55	45~56	47~57
	Refrigerant	R32	R32	R32	R32	R32		R32



High Efficiency with a
COP as high as 14.5,



Extremely Quiet



Compact design



User-friendly Controls



15 Year Warranty
on titanium heat exchanger

UltraTemp VXi Heat Pump

The Pentair UltraTemp® VXi heat pump automatically heats or cools your pool according to the desired temperature. It adapts to outdoor conditions to ensure optimum bathing comfort while minimising energy consumption.

Equipped with full-inverter technology, the new Pentair UltraTemp® VXi heat pump delivers powerful, yet quiet, performance, thanks to the combination of a variable speed compressor and fan motor. They adjust their speed automatically following the operating mode selected by the user via the colour touchscreen or optional app.

- High-performance, affordable heat pump with premium features.
- Energy efficiency among the highest in its class with COP ratings far in excess of standard heat pumps.
- Top vent design perfect for placement in restricted locations.
- Titanium threaded heat exchanger.
- Intuitive colour LCD touch screen.
- Heats, cools and offers auto defrost.
- Corrosion protection Hydrophilic Evaporator Coating.
- 15 years warranty.



Digital controls with dual thermostat offer precise temperature control for pool/spa combinations and avoid overheating and energy waste.

		VXi 13kW	VXi 17kW	VXi 20kW	VXi 24kW	VXi 28kW	VXi 32kW
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	3.5 - 13.5	3.8 - 17.5	5.2 - 20.6	6.2 - 24.0	8.5 - 28.0	10.4 - 32.0
	Power (kW)	0.26 - 2.08	0.27 - 2.73	0.38 - 3.17	0.43 - 3.53	0.6 - 4.31	0.77 - 4.92
	COP	13.5 - 6.5	13.8 - 6.4	13.6 - 6.5	14.5 - 6.8	14.2 - 6.5	13.5 - 6.5
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	2.4 - 10.0	2.8 - 12.8	4.1 - 14.8	4.8 - 17.5	5.6 - 20.3	6.5 - 22.5
	Power (kW)	0.32 - 2.13	0.37 - 2.78	0.55 - 3.29	0.64 - 3.65	0.71 - 4.14	0.88 - 5.0
	COP	7.5 - 4.7	7.5 - 4.6	7.4 - 4.5	7.5 - 4.8	7.9 - 4.9	7.4 - 4.5
Ambient 27 °C Water 26 °C in / 28 °C out 80% Humidity	Capacity (kW)	6.2	6.9	12.2	13.5	14.5	14.8
	Power (kW)	1.78	2.1	3.8	3.5	4.5	4.80
	EER	3.5	3.2	3.2	3.86	3.22	3.08
	Product Number	UTHP-13-VXi	UTHP-17-VXi	UTHP-20-VXi	UTHP-24-VXi	UTHP-28-VXi	UTHP-32-VXi
	Power Supply (v/Hz)	230-240V, 50Hz	230-240V, 50Hz	230-240V, 50Hz	230-240V, 50Hz	230-240V, 50Hz	400-415V, 3P 50Hz
	Phase	UTHP-13-VXi	Single	Single	Single	Single	Single
	Max Current (A)	11.3A	13.3A	21.2A	22.8A	23.6A	14.73A
	Max Power (kW)						
	Compressor Type	Panasonic	Panasonic	Panasonic	Panasonic	Panasonic	Panasonic
	Water Flow (LPM)	108	133	158	167	200	250
	Sound Pressure (1m dBA)	41-53	43-54	44-55	45-56	47-58	48-60
	Refrigerant	R32	R32	R32	R32	R32	R32



High Efficiency with a
COP as high as 14.5,



Extremely Quiet



Compact design



User-friendly Controls

15 YEAR
WARRANTY

15 Year Warranty
on titanium heat exchanger

MasterTemp High Performance Heater

No matter what you're seeking in your swimming pool heater, the MasterTemp heater measures up. Compare this list of features to any other and you'll see why MasterTemp heaters are setting a new standard for total value.

- A fully pre-mixed system with a highly efficient air and gas mixture lets the MasterTemp heater heat up fast. No long waits before enjoying your pool or spa.
- With a hot surface ignition (no pilot light) and push button, digital controls, the MasterTemp heater is as easy to operate as your home heating system. Plus, user-friendly indicator lights make system operation and monitoring a snap.
- MasterTemp heaters are engineered for super-quiet operation and won't intrude on your poolside leisure time
- Safe operation through a series of features, including: a water pressure switch that senses the pump is running to prevent overheating, high limit switches assure the heater turns off if water temperature exceeds factory-set limits, manual gas shut-off when service is required, stack flue sensor also guards against overheating.
- Approved for installation on combustible surfaces.
- Easy to install or retrofit in even the tightest space — models from 200M to 400M BTUs — all measure 21"L x 21"W x 28"H



The rotating digital display means more installation options and easier access to view operating information.

The easy-to-read controls make system operation and monitoring simple. Pool and spa temperatures can be pre-set and controlled with the push of a button. A digital display indicates the water temperature, and five LED lights give you system status and let you know if the heater needs service.

Pool Sizing

°C TEMPERATURE CHANGE /24 HRS	HEATER SIZE			HEATER SIZE		
	MODEL 200	MODEL 300	MODEL 400	MODEL 200	MODEL 300	MODEL 400
	Pool Capacity in Litres			Pool Surface Area in Sq. Mt. at 1.65m Depth		
2.77	368,635	552,954	737,269	219.62	329.43	439.15
5.44	184,315	276,475	368,635	109.81	164.71	219.62
8.31	122,878	184,319	245,756	73.20	109.81	146.41
11.08	92,160	138,239	184,315	54.90	82.40	109.81
13.85	73,728	110,595	147,453	43.94	65.96	87.79
16.62	61,437	92,156	122,878	36.60	54.91	73.21
19.39	52,663	78,994	105,325	31.40	47.10	62.71
22.16	46,080	69,122	92,160	27.41	41.16	54.91

* ASME Models available.

Spa Sizing

MODEL	Minutes for 16.2°C (30°F) Temperature Rise (Heater Input in 1000 BTU/HR)								
	750	1,150	1,500	1,900	2,250	2,650	3,000	3,400	3,800
	Minutes for 16.2°C (30°F) Temperature Rise (Heater Input in 1000 BTU/HR)								
200	18.0	27.0	35.0	44.0	53.0	62.0	71.0	80.0	89.0
300	13.5	20.0	26.5	33.0	40.0	46.5	53.0	60.0	66.5
400	9.0	13.0	18.0	22.0	27.0	31.0	35.0	40.0	44.0

Note: The chart is based on a 30°F (16.6°C) temperature rise, discounting losses and only based on heat required to raise temperature in minutes. Two-year limited warranty. See warranty for details.



Premixed air and gas system for fast heat-up



Certified for low NO emissions

Outperforms industry standards



Compact design




User-friendly Controls



2 Year Limited Warranty

Jeliha Pool Solutions is your trusted
supplier of Pool Sanitisation, Filtration
and Automation equipment.

Find us online



Sanitisation

At Jeliha, we only source and provide premium and reliable sanitisation equipment to our customers.

We are focused on supporting Australian Made and we are able to offer essential product knowledge and support across all our brands and models.



Gemini Series

The Gemini System is a fully-controlled salt water management system. Pool water sanitiser and pH levels are continually analysed by the Gemini Control unit, which activates the Gemini salt or mineral salt chlorinator as required and also keeps pH within the optimum range.

- Maintains safe & healthy pool water
- Fully automatic sanitiser & pH control
- Reduces pool operating costs including power, chemical & equipment replacement
- Low maintenance costs, reduction in chemical usage & reduced power consumption provides overall year round savings
- Makes it easy to maintain correct pool water chemistry
- Compatible with conventional and mineral salt pools & spas



SG Salt / Mineral

The SG system keeps the pH of your pool water in the correct range. This ensures that the sanitiser works with optimal efficiency, making the SG one of the most efficient and smartest salt chlorinators on the market. The SG pH system is available in three sizes, 10g/hr, 20g/hr and 30g/hr, with pH control delivered via a peristaltic pump.

pH Control System

Pool Controls offers you the option of pH control with any model of chlorinator. When you enhance your system with a Pool Controls pH Control System, the pH of the water is automatically adjusted with doses of diluted acid via a single peristaltic pump.

Over time, the addition of chlorine raises the pH of the swimming pool water and if the pH is not brought back into the desirable range, the chlorine will become less effective and the water will become cloudy.

The Pool Controls pH Control System is simple to install and because it does not rely on a probe, no calibration is required. It can be installed on an existing unit and is "plug and play". Once connected, the system recognises the pH Control and activates the pH algorithm."



Fully Automated



Self Cleaning



Optional pH Control



Proudly manufactured
in Australia

3 YEAR
WARRANTY

3 Year Manufacturer's Warranty

Chemigem D10

The Chemigem D10 is suitable for domestic pools of all shapes and sizes and gives you total control over sanitizer levels and pH. The Chemigem uses a multi-electrode (probe) to analyse water quality whenever the system is running and adds precise doses of chlorine and acid to maintain optimum water quality.

Dosing can be via the highly-efficient solenoid valves or peristaltic pumps. The Chemigem can also be used to control a salt chlorinator for those who prefer salt or mineral pools

Models

Chemigem D10 Dual Valve
Chemigem D10 P Dual Pumps
Chemigem D10 VP SWC Control with Valve Single
Chemigem D10 CP SWC Control with Single Pump



Pool Controls Spare Parts

At Jeliah Pool solutions, we provide a full range of spare parts.

All genuine Pool Controls spare parts used in domestic applications are now covered by a full 2 year Manufacturer's Warranty from the date of purchase. This warranty cover includes replacement power supplies, multi-electrodes (probes), solenoid valves and electrolytic cells.

Some of the common spare parts include:



Multi-electrode for Tapping Band (3m Cable)



Double Valve Replacement Kit



Dual Pump Tubing Maintenance Kit



A full range of spare parts available for domestic applications



Proudly manufactured in Australia

2 YEAR WARRANTY

2 Year Manufacturer's Warranty on all genuine Pool Controls spare parts

Crystal Aquatics Vapure Salt & Mineral Chlorinator

The Vapure by Crystal Aquatics is an Australian made salt water chlorinator which is suitable for use with pool minerals as well as pool salt. Designed for new and existing swimming pools applications with the ability to utilise the addition of magnesium chloride to enhance the swimmer experience the Vapure VP35 salt and mineral system creates a luxury in any Australian backyard.

With an easy to use easy touch LCD control board and display the Vapure salt chlorinators are easy to use boasting many useful functions only found in a digital salt chlorinator. Used in conjunction with a blended minerals pool mineral you can turn your existing salt pool into a magnesium enriched mineral pool oasis ready to use when you need it, without the upfront cost of some of the other mineral / magnesium systems on currently in the market.

- ✓ Low salt operation: 3500ppm (0.35%) with built in regulator for high salt
- ✓ Freshwater/ultra low salt: 1500ppm (0.15%) option available in vp15ls, Vp25ls & vp35ls model
- ✓ Smart self-cleaning cell Electrode
- ✓ Premium grade quick connect titanium cell for increased lifespan
- ✓ Backwash, super chlorinate and winter mode functions
- ✓ Single or dual timer cycles / automatic battery back-up timer
- ✓ Built in salt/tds test, water flow and temperature protection
- ✓ Suitable for all pool surfaces (concrete, fibreglass, vinyl & tiled)



Available in:

VP15, VP15LS, VP25, VP25LS, VP35, VP35LS, VP45, VP55HD, VP75HD and VP100HD 100g/hr unit sizes



The Brauer B Natural Ozone Generator is a powerful and eco-friendly solution for keeping your pool water clean, clear, and fresh. By using ozone—a natural and highly effective oxidizer—it eliminates bacteria, viruses, and other contaminants without relying heavily on chlorine. This reduces chemical usage, minimizes skin and eye irritation, and leaves your pool water smelling and feeling noticeably better. The Brauer B Natural system offers a smarter, more natural way to maintain a healthier swimming environment.

- Rapidly Eliminates Chloramines
- Suitable for Pools up to 150,000 Litres
- 3,500 x More Effective at Killing Bacteria than Chlorine
- Removes Chlorine Smell, Taste, and Irritation
- Delivers Softer, Clearer and Healthier Water
- Enhances Bather Comfort and Air Quality
- Prolongs Equipment and Pool Surrounds' Lifespan
- Patented Technology for Superior Performance
- Energy-Efficient Design
- Easily Added to Existing Pool Systems



- ✓ Easy Plumb, Plug and Play Design
- ✓ Patented Dual Plasma Ozone Discharge Cell
- ✓ Patented Ozone Injection Manifold
- ✓ Commercial-Grade Durability
- ✓ Compatible with Variable Speed Pumps
- ✓ External Output Control

NKD-R + pH Controller Bundle

The NKD-R is our flagship system, trusted in thousands of Australian homes. Using a unique combination of copper-silver ionisation and oxidation, it delivers pure, clean freshwater that's gentle on your skin, hair, and eyes—while eliminating bacteria and algae.

Pair your NKD-R with our automatic pH Controller for a complete, hands-free solution. This smart system constantly monitors and adjusts your pool's pH to ensure optimal water balance, clarity, and comfort.

- Ideal for large or family pools - 30,000–150,000 Litres
- The ultimate swimming experience with water softer than your household tap
- Compatible with mineral salts
- Easy to maintain, with minimal ongoing chemicals
- Perfect for homes seeking a natural lifestyle. No red eyes or irritated skin. Perfect for asthmatics, psoriasis and eczema
- unlike traditional pool sanitisers, your residual sanitiser is simply copper and silver, rather than chlorine and other chemical.
- Industry leading 5 Year Warranty



Naked
Freshwater Pool Systems

Pool Lab PL Plus Series

Innovative technology designed for the Australian market, Pool Lab® salt chlorinators cope with conditions others cannot tolerate. They perform efficiently and economically for longer, without the need for constant adjustment or maintenance.

- **Heavy Duty Control Unit** Weather proof and suitable for outdoor installations with display cover to protect against the effects of the sun.
- **Patented Automatic Self-Cleaning Cells** Clever software in the microprocessor automatically reverses the polarity of the electrolytic plates to maximise the self- cleaning process.
- **Automatic Low Salt Warning** If salt levels fall below the optimum level, the diagnostic display scrolls a message requesting a salt top up. Automatic Memory Save If there's a power failure all information is stored for at least seven days. There are no batteries that can go flat or leak.
- **Automatic Pump Protection Monitor** If the pump is starved of water and running dry, the chlorinator switches the pump off to prevent damage occurring. Run-dry timing can be adjusted for different hydraulic conditions and pump types.
- **Compatible with all mineral salt additives**
Pool Lab chlorinators will operate with all mineral salt additives.



POOLPOWER

Models

PL25+	25 grams of chlorine gas per hour
PL35+	35 grams of chlorine gas per hour
PL45+	45 grams of chlorine gas per hour

pH Logix Controller

Transform your pool maintenance with the pH Logix Controller, the ultimate solution for automatically dosing and maintaining safe pH and acid levels. Designed to protect your pool surface and equipment from damaging scale and corrosion, this advanced controller ensures that your pH remains consistently balanced, eliminating the worry of fluctuations.

Never worry about acid overdosing again, this controller is a reliable partner in achieving a pristine and balanced pool. Enjoy hassle-free maintenance and optimal water quality with proven acid dosing pump technology.



- ✓ Automatically doses and maintains safe PH/acid levels
- ✓ No probe or calibration required
- ✓ Prevents PH from fluctuating in and out of balance
- ✓ Easy installation - plug and play
- ✓ Works with high and low flow filtration systems
- ✓ Never overdose your pool with acid again

pH Mate – pH Control System

pH Mate pH controllers constantly monitor your swimming pool water regardless of bather load and pool usage. pH Mate will operate completely independently of any other equipment installed on your swimming pool utilising smart electronics with inbuilt overdose protection for your complete peace of mind. Handy Buffer Sleep Mode and Flow Switch Activation is also supplied standard to ensure your pH Mate will operate only when your filtration equipment is on.



- ✓ Constant pool water pH level monitoring
- ✓ Buffer sleep mode
- ✓ Electronic control with actual dosing display
- ✓ Flow switch activation
- ✓ Multicolour full-function integrated display
- ✓ Premium peristaltic pump for acid dosing
- ✓ Digital display of pool water pH levels
- ✓ Built-in multi-function timer with battery backup

Dead Sea Minerals

Transform your pool by adding 100% Dead Sea Minerals



- Magnesium rich 100% Dead Sea Minerals revered over centuries for their healing qualities. Feel relaxed and rejuvenated through natural, healthy, mineral rich water.
- Natural ozone purification enables you to dial down chlorine production, which can cause flare-ups in allergies, asthma and skin conditions.
- The rich magnesium content in the Dead Sea Minerals can be absorbed into your muscles to make them feel soothed and relaxed after every swim. This could help with arthritis, mobility, leg cramps and pain.
- The rich magnesium content of the Dead Sea Minerals softens and enhances the quality of the water, making it much gentler than traditional salt and chlorine pools. Skin feels hydrated and softer and eyes are less irritated.

Pool Lighting

At Jeliha, we offer an extensive selection of Aqua-Quip pool lighting, available in a variety of finishes and configurations to suit any pool or spa design.


Lighting is often the standout feature of a pool area, and Aqua-Quip is a trusted name known for its award-winning, high-performance LED lighting solutions.



EvoMAX LED Pool Lighting

EvoMAX offers maximum illumination while maintaining a flush profile. The wet-niche LED Lighting System connects to the same cable and housing as Evo2, with an extended one-piece diffused acrylic lens providing increased beam spread and enhanced side-lighting effects.

EvoMAX LED lights are available in fixed white, blue or green, or multi-colour featuring Aqua-Quip's Colour Selection Palette, offering an extensive range of colours and pre-programmed scroll and flash modes.



- ✓ **Maximum Illumination:** Larger lens surface provides superior brightness and beam spread.
- ✓ **Sleek Aesthetic:** Maintains a flush profile, protruding just 9mm from the pool wall, ensuring a modern, seamless look.
- ✓ **Energy Efficiency:** Advanced LED technology minimises energy consumption
- ✓ **Easy Installation:** Quick Connect Plug Kit allows for simple connection and maintenance.

Aqua-Quip EvoMAX	
Suitable for:	New Concrete Pools, Spas, Water Features, Catch Tanks and retro-fit applications
Stainless Steel Option:	Yes, P/N: MXA 056
Cable Lengths:	20m, 30m, 40m
Operating Voltage:	12v AC
Dimensions:	Les 166mm: Protrusion: 9mm
Rating:	IPX8

EvoLV Compact Pool Pipe Light

EvoLV Compact Pipe Light is the ideal choice for both new pool construction and for renovations.

The compact wet-niche allows for versatility in light positioning and is ideal for intricate areas such as steps, benches, swim-outs and shallow water areas – as well as larger pool areas.

The water-cooled light is energy efficient and is supplied with Aqua-Quip's industry-recognised Plug Kit, ensuring simplicity of installation.

Pro Series RGB+W allows multi-colour operation with true Cool White included.



Aqua-Quip EvoLV – Concrete Compact Pipe Light	
Suitable for:	New Concrete Pools, Spas, Water Features, Catch Tanks
Cable Lengths:	20m, 30m, 40m – 0.5mm ² Cable
Operating Voltage:	12v AC
Dimensions:	Diameter: 49mm Protrusion: 6mm
Rating:	IPX8
Dimming:	100% – 70% – 50% – 30% via InstaTouch Controller



The InstaTouch smart remote controller is compatible with EvoMAX and EvoLV, allowing you to easily select and control colours for your pool, spa or water feature.



Super bright



Energy efficient
and long life



Easy to install



Retrofit or incorporate
into new pool




Proudly manufactured
in Australia

Pool Cleaners

Jeliha only supply Dolphin brand Robotic cleaners due to their brilliant performance and reliability. Dolphin have a huge range of options and user interfaces. A brand that's recognized throughout the industry and into the public domain, there is no better option.





X25

Experience superior pool cleaning with the Dolphin X25. With its ultra-light-weight and quick water release, the Dolphin X25 is super easy to handle. The active brushing action and PowerStream mobility system ensure efficient pool coverage, with extra-thorough scrubbing on all pool surfaces - leaving the floor, walls and waterline spotlessly clean.

- ✓ Floor, walls and waterline cleaning
- ✓ Dual layer filtration system with ultra-fine filters
- ✓ All terrain PVC brush with active scrubbing
- ✓ Ideal for length up to 12 metres
- ✓ CleverClean™ scanning for maximum coverage



X30

The Dolphin X30 is super-easy to handle. Choose between two filtration options to capture rough debris or fine dirt. The active brushing action and the PowerStream mobility system ensure efficient pool coverage, with extra-thorough scrubbing on all surfaces – leaving floor, walls and waterline spotlessly clean.

- ✓ Floor, walls and waterline cleaning
- ✓ Single-level filtration system with ultra-fine filter & interchangeable fine filters for fine & ultra-fine dirt & debris
- ✓ All terrain PVC brush with active scrubbing
- ✓ Ideal for length up to 15 metres
- ✓ CleverClean™ scanning with PowerStream mobility system



X40 Plus

Control your Dolphin X40 PLUS through the multi-function power supply or use the MyDolphin™ Plus app to set up cleaning programs and control the robot remotely, including manual navigation. The multi-layer filtration system has integrated ultra-fine and coarse filters to collect rough and ultra-fine dirt and debris.

- ✓ Floor, walls and waterline cleaning
- ✓ Multi-layer filtration system with ultra-fine filter & integrated coarse filter, for rough & ultra-fine dirt & debris.
- ✓ All terrain PVC brush with active scrubbing
- ✓ Ideal for length up to 15 metres
- ✓ CleverClean™ scanning with PowerStream mobility system



CleverClean™
scanning system



Lightweight and
easy to remove from pool



Collects fine and
rough debris



Certified ISO9001
quality standard

24 MONTHS
WARRANTY

See the Maytronics
website for details

Active X 6

The Dolphin Active X6 robotic pool cleaner makes it super-easy to look after your swimming pool, keeping it clean and ready for fun, with minimum effort and hassle. It's newly designed for maximum cleaning performance, convenient handling, and simple operation.

The Active X6 is cloud-connected, so you always have control right in your hand, at any time, from anywhere.

The advanced PowerStream Mobility System creates multi directional water jets, which enables a constant grip on all vertical and horizontal surfaces.

Placing or removing the Dolphin from your pool is easy with the fast clean-water release, lightweight and ergonomic design. The Active X6 also has an advanced scheduler weekly timer helping you to keep the pool clean with no hassle.

Dolphin by maytronics



- ✓ Floor, walls and waterline cleaning
- ✓ All terrain brushes with active scrubbing
- ✓ MyDolphin™ Plus app - Full featured programming
- ✓ Ideal for length up to 15 metres
- ✓ CleverClean™ scanning with PowerStream mobility system

Liberty 400 Cordless

Discover the Dolphin Liberty 400 with its new cordless design for unmatched agility, and inductive charging. The "Eco Mode" will keep your pool clean all week long with short and efficient cleaning cycles. While the "Cycle Selector" will let you choose between floor-only or floor and walls cleaning, you can use the "Click-Up™" for super-easy removal from the pool.

The Liberty 400 also includes the MyDolphin™ Plus app for easy control and cleaning programs setup.

Using powerful, intensive scrubbing action and a superior filtration system, you can get the same reliability and service you get with other Dolphin products - now cordless!



- ✓ Floor, walls and waterline cleaning
- ✓ Powerful active brushing, with intense scrubbing for an unmatched cleaning
- ✓ MyDolphin™ Plus app - Full featured programming
- ✓ Ideal for pools up to 10x5 metres
- ✓ Choose between floor only or floor and walls cleaning



CleverClean™
scanning system



Lightweight and
easy to remove from pool



Collects fine and
rough debris



Certified ISO9001
quality standard

3 YEAR
WARRANTY

See the Maytronics
website for details

K Series K60

The iGarden K60 is the perfect introduction to intelligent cordless pool cleaning, combining smart technology, reliable performance and everyday convenience in one easy-to-use cleaner.

Designed to take the effort out of regular pool maintenance, the K60 moves efficiently throughout the pool, adapting to different shapes and surfaces for a thorough, consistent clean. Its generous battery capacity provides plenty of cleaning time, while cordless operation eliminates the hassle of cables around the pool.

With intelligent operation and convenient app control, the K60 is an ideal choice for pool owners looking for an easier, smarter way to keep their pool clean and ready to enjoy.

iGarden
Artful Living Technology



- ✓ Up to 6 hours floor-only runtime
- ✓ Cleans floor, walls and waterline
- ✓ Intelligent navigation with adaptive mobility
- ✓ Multiple cleaning cycles plus Turbo mode
- ✓ App control with 24 / 48 / 72-hour AI timer

K Series K80

For pool owners wanting greater endurance and flexibility, the iGarden K80 builds on the intelligent cordless performance of the K Series with extended cleaning capability.

Its increased battery capacity allows the K80 to work for longer between charges, making it particularly suited to pools requiring more comprehensive or frequent cleaning. Responsive mobility and smart technology help it navigate efficiently throughout the pool, while powerful cordless operation keeps the entire process simple and hassle-free.

Combining longer runtime with intelligent control and versatile cleaning options, the K80 is a natural step up for those wanting greater cleaning freedom without adding complexity to their pool maintenance routine.



- ✓ Up to 8 hours floor-only runtime
- ✓ Cleans floor, walls and waterline
- ✓ Intelligent navigation with adaptive mobility
- ✓ Multiple cleaning cycles plus Turbo mode
- ✓ App control with 24 / 48 / 72-hour AI timer



Intelligent
Navigation



Lightweight /
Easy Handling



Collects fine and
rough debris



Advanced battery
technology

3 YEAR
WARRANTY

3 Year Warranty
on core components

K Pro 120

Stepping into the K Pro range, the iGarden K Pro 120 delivers the increased power, endurance and capacity required for larger pools and more demanding cleaning conditions.

Extended battery performance allows the K Pro 120 to undertake longer cleaning cycles, while high-flow filtration provides the additional cleaning power needed to efficiently collect leaves, dirt and everyday debris. Designed to comfortably cover larger pool areas, it delivers comprehensive cleaning with less need for intervention or frequent charging.

Combining serious cleaning capability with intelligent cordless technology, the K Pro 120 is an excellent choice for larger residential pools where greater performance and efficiency are a priority.



- ✓ Up to 12 hours floor-only runtime
- ✓ Suitable for pools up to 15 metres long
- ✓ Cleans floor, walls and waterline
- ✓ High-flow filtration for powerful debris removal
- ✓ App control with multiple modes and AI timer

K Pro 150

At the pinnacle of the range, the iGarden K Pro 150 delivers maximum cordless cleaning performance for larger pools and the most demanding cleaning requirements.

Exceptional battery endurance allows the K Pro 150 to operate for extended periods, while increased pump flow delivers powerful debris collection across expansive pool areas. Its combination of capacity, intelligent operation and high-performance cleaning means more can be achieved in each cycle, with minimal attention required from the pool owner.

For those wanting the highest level of performance in the iGarden range, the K Pro 150 combines outstanding runtime, power and intelligent technology for effortless, premium pool care.



- ✓ Up to 15 hours floor-only runtime
- ✓ Suitable for pools up to 18 metres long
- ✓ Cleans floor, walls and waterline
- ✓ High-performance 20–28m³/h pump flow
- ✓ App control with multiple modes and AI timer



Intelligent
Navigation



Lightweight /
Easy Handling



Collects fine and
rough debris



Advanced battery
technology

3 YEAR
WARRANTY

3 Year Warranty
on core components



	K60	K80	K Pro 120	K Pro 150
Battery Life (Mode: Floor only)	6h	8h	12h	15h
Mode: Full coverage	3.5h	4.5h	7h	8.5h
Mode: Turbo+Floor only	3h	4h	6.5h	8h
Mode: Turbo+ Full coverage	2.5h	3.5h	5.8h	7h
Charging Time	5h (2A)	3.5h (2A)	6.5h (3A)	7h (3A)
Maxium Pool Length	6*12m		8*15m	10*18m
Optimal Pool Temperature	4~35°C / 39.2~95°F			
Cleaning Mode	Floor Only; Wall & Waterline Only; Wall & Waterline first, then floor; Full coverage			
Multitple Cycle Option	1h/1.5h/2h/Max			
Turbo Mode	YES			
AI Timer	24h/48h/72h			
APP	YES			
Filter Capacity	4L			
Filtration Accuracy	Single Layer			
Pump Flow Rate	15m³/h~22m³/h		18m³/h~25m³/h	20m³/h~28m³/h
Running Power	20~100W		20~120W	
Moving Speed	10~12m/min			
Number of Motors	3			
Charger Input	100~240VAC ~ 50/60Hz			
Running Voltage / Current	25.2V/1A		25.8V/1A	
Robot NW/GW	9.8kg/13.5kg		11kg/14.3kg	
Product Dimensions (LxWxH)	489 x 389 x 240 mm			
Package Dimensions (LxWxH)	580 x 450 x 330 mm			



Intelligent
Navigation



Lightweight /
Easy Handling



Collects fine and
rough debris



Advanced battery
technology



3 Year Warranty
on core components

Automation

Jeliha is noticing that automation of swimming pool equipment (namely by smart phone control) is becoming ever-increasing in our busy lifestyles.

The brands we stock are reliable and easy to integrate into new and existing equipment. Likewise, they are simple for the end user to navigate.

We have a great technical knowledge of these products and can trouble shoot and / or set these up remotely.



SplashMe Automation Controller



The SplashMe Automation Controller is truly intuitive by going far beyond the simple on/off control of other automation products. Using household information (pool size, electricity tariffs) and information collected by the in-built flow, temperature and pressure sensors, the SplashMe Automation Controller calculates the exact time, duration and speed to run the system to eliminate overuse, saving you hundreds every year.

SplashMe Standard +VSD converts single-speed filter pumps to an energy-efficient, cost-saving VSD system.

SplashMe Standard is capable of controlling speeds of major brand multi-speed pumps.

Compatible with popular brands of equipment.

The SplashMe App is all you'll need to monitor and control your system all year round.



Ethernet

- ✓ Option to connect via hardwired internet (ethernet) connection when wireless isn't available

LoRa

- ✓ Long range wireless connectivity to SplashMe add-ons included
Poolside Switch and Power-Xpander

Display

- ✓ SplashMe custom app for Android and iOS

AquaLink TRi

Pool automation is a breeze with the AquaLink TRi, a user-friendly and affordable pool and spa controller. The AquaLink TRi allows you to control multiple devices within a simple and intuitive interface. And, with the iAquaLink app, you can access all your pool settings from any smartphone, tablet or web-connected device.

- Set schedules and parameters to suit almost any compatible product. You can schedule your chlorinator and pump to come on during suitable off-peak times and even schedules to activate your lights and water features
- Control 4 x power sockets and 3 x power valve actuators
- iAquaLink compatible for operation through web connect or iPhone/Android App
- Available in Pool or Pool/Spa versions with or without iAquaLink



Programmable Pool Accessories for both models

- Cleaners
- Chlorination
- Lighting
- Water Features
- Heating
- Pumps
- Backyard Features

AquaLink M8

The Zodiac AquaLink M8 Control System places control of your entire backyard paradise at your fingertips. Adjust spa temperature, turn on water features, monitor chlorine generation and so much more.

The AquaLink M8 is more than just a control system; it also safeguards all your pool and spa equipment. With built-in features like an automatic heater cooldown, self-monitoring freeze protection and pool cleaner safety delay, the M8 virtually eliminates any equipment protection concerns.

- Set schedules and parameters to suit almost any compatible product. You can schedule your chlorinator and pump to come on during suitable off-peak times and even schedules to activate your lights and water features
- Safeguards your pool with built in features such as automatic heater cooldown, self-monitoring freeze protection and pool cleaner safety delay
- iAqualink Ready - Control anywhere, any time
- Control at least 8 devices
- Choose your way to control - the PDA waterproof handset or wall mounted one-touch panel (or a combination of both systems), plus iAquaLink for smartphone control



Stay Connected with Jeliha Pool Solutions

For the latest product updates, industry insights, and behind-the-scenes looks at our premium pool solutions, we invite you to follow us on Instagram: @jelihapoolsolutions

Have questions or need tailored advice?

Get in touch with Daniel Maher directly for more information or personalised support.

Jeliha Pool Solutions Pty Ltd

Email: jelihapoolsolutions@outlook.com

Daniel Maher: 0429 589 717




www.jelihapoolsolutions.com.au

We're here to help you get the most out of your pool systems

— with expert guidance, reliable service, and quality you can trust.



See more of our installs on instagram
@jelihapoolsolutions





Jeliha
POOL SOLUTIONS

Jeliha Pool Solutions Pty Ltd
3 Palmerston Road E, Ringwood, VIC 3134

Daniel Maher: 0429 589 717

Email: jelihapoolsolutions@outlook.com
www.jelihapoolsolutions.com.au